Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	265	370/395.32	US-PGPUB; USPAT	ADJ	ON	2005/10/27 08:55
L4	3	3 and ((partial or part) adj3 key)	US-PGPUB; USPAT	ADJ	ON	2005/10/27 08:57
L5	222	((content address$4 memory) or CAM) with hash$3	US-PGPUB; USPAT	ADJ	ON	2005/10/27 08:58
L6	26	((content address$4 memory) or CAM) with hash$3 with key	US-PGPUB; USPAT	ADJ	ON	2005/10/27 09:15
L7	0	((content address$4 memory) or CAM) with hash$3 with key with partial	US-PGPUB; USPAT	ADJ	ON	2005/10/27 09:15
L8	0	((content address$4 memory) or CAM) with hash$3 with key with part	US-PGPUB; USPAT	ADJ	ON	2005/10/27 09:15
L9	0	((content address$4 memory) or CAM) with hash$3 with key with split	US-PGPUB; USPAT	ADJ	ON	2005/10/27 09:15
L10	0	((content address$4 memory) or CAM) with hash$3 with key with half	US-PGPUB; USPAT	ADJ	ON	2005/10/27 09:16
L11	5	((content address$4 memory) or CAM) with hash$3 with key with portion	US-PGPUB; USPAT	ADJ	ON	2005/10/27 09:16
L12	5	((content address$4 memory) or CAM) with hash$3 with (key near4 portion)	US-PGPUB; USPAT	ADJ	ON	2005/10/27 09:45
L13	184	(compar$3 adj4 key) and (compar$3 adj4 hash)	US-PGPUB; USPAT	ADJ	ON	2005/10/27 09:46
L14	4	(compar$3 adj4 key) and (compar$3 adj4 hash) with (conflict or collision)	US-PGPUB; USPAT	ADJ	ON	2005/10/27 10:02
L15	18	(compar$3 near5 partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 09:58
L16	0	(compar$3 near5 partial near5 key) with (collision or conflict$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 09:56
L17	1	(compar$3 adj4 key) and (compar$3 adj4 hash) with (benefit or advantage)	US-PGPUB; USPAT	ADJ	ON	2005/10/27 09:59
L18	5	(compar$3 adj4 key) with (conflict or collision)	US-PGPUB; USPAT	ADJ	ON	2005/10/27 10:03

L20	1	(Fibonacci and Galois) with (LFSR) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 10:14
L21	3	(Fibonacci and Galois) with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 10:14
L22	24	reverse adj3 hash$3 adj3 function	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 11:16
L23	0	reverse adj5 hash$3 adj5 function adj5 partial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 10:56
L24	0	reverse adj5 hash$3 adj5 function adj5 part	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 10:56
L25	0	reverse adj5 function adj5 partail	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 10:56
L26	2	reverse adj5 function adj5 partial	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 10:56
L27	7	(reverse near5 hash$3) with (key near5 hash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 11:00

L28	19	(reverse near5 (hash$3 or function)) with (key near5 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 11:02
L29	4	(revers$3 and hash$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 11:03
L30	1	partial with (hash or value) with key with reverse	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 11:05
L31	6	09/210,222	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 11:15
L32	1	(benefit or advantage) with (revers$3 near5 hash$4 near5 function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 11:16
L33	2	"6675163".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 11:17
L36	1	"20020016806"	US-PGPUB; USPAT	ADJ	ON	2005/10/27 11:22
L38	244	hash near10 (send$3 or sent or forward$3 or trasmit$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 11:24
L39	36	(hash adj3 value) near10 (send$3 or sent or forward$3 or trasmit$4) near10 packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/27 11:34

S1	0	711/216 and (partial with key).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:46
S2	5	711/216 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:47
S3	12	711/216 and (partial with hash$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:50
S4	10	S3 not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 10:26
S5	456	711/216	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 12:16
S6	15	(partial adj3 key) near15 hash$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 10:38
S7	43	711/216 and 711/108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 10:39
S8	0	S7 and (partial near5 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 10:39

S9	0	S7 and (partial with key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 10:39
S10	13	S7 and (key and hash$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 10:48
S11	5	S7 and (key and hash$3 and partial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:30
S12	106	(part adj3 key) with hash$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:31
S13	51	(part adj3 key) with (hash$3 adj6 (function or table or value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:32
S14	42	(part adj3 key$1) with (hash$3 adj6 (function$1 or table$1 or value$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/10/26 11:43
S16	2277	((part or partial) and key).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:43
S17	2	((part or partial) and key and hash$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:43

S18	1	711/216 and (part adj3 key).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:46
S19	12	711/216 and (part adj3 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:47
S20	27	711/216 and (part adj5 hash$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:51
S23	4	711/216 and ((part adj5 hash$3) near15 key)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 11:59
S24	520	(((part or partial) near6 key) and hash$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 12:01
S25	45	(((part or partial) near6 key) with hash$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 12:01
S26	26	(((part or partial) adj3 key) with hash$3) and (380/264 or 380/277 or 380/278 or 380/279 or 380/28$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 12:02
S27	3900	(CISCO TECHNOLOGY).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 12:16

S28	1	S27 and (hash$ with key with partial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 12:17
S29	1	S27 and (hash$ with (part adj4 key))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 12:18
S30	1	"6,324,636".pn.	USPAT	ADJ	ON	2005/10/26 13:52
S31	0	2002/0152389	US-PGPUB	ADJ	ON	2005/10/26 14:42
S32	1	"20020152389"	US-PGPUB	ADJ	ON	2005/10/26 14:42
S33	0	(Galois and Fibonacci) with hash$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 14:50
S34	74	(Galois and Fibonacci)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 14:50
S35	2	(Galois and Fibonacci and hash$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 14:51
S36	9	(Fibonacci same hash$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 14:51
S37	119	(Fibonacci with (LFSR or shift register))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 14:52
S38	62	(Fibonacci and Galois) with (LFSR or shift register)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/26 14:52

| S39 | 38 | (Fibonacci and Galois) with (LFSR) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2005/10/27 10:13 |